S5	1	S2 and ((first adj2 clock)near6 frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 14:08
S6	40	S4 and ((first adj2 clock)near6 frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:22
S7	15	S4 and ((second near3 (frequency or clock))with (swallow$4 or drop$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:34
S8	22	(clock near4 (generat$4 or produc$5))same (((swallow$4 or drop$5 or omi$6 or eliminat$4 or absorb$5)near3 ((select$3 or chosen or choos$4 or predefin$4 or predetermin$3)adj3(puls$3 or bit$1 or cycle$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:56
S9	6	(frequency near3 generat$4)with ((swallow$4 or drop$4 or eliminat$4)near4 ((select$3 or predetermin$4 or predefin$4)near2 (puls$2 or cycle$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:33
S10	250	madrid.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:34
S11	19	S10 and (swallow$4 or drop$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:37
S12	1	S10 and ((pulse or cycle)near4(swallow$4 or drop$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:35

S13	7	S10 and (clock near4 (generat$4 or produc$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:36
S14	1	S13 and (swallow$4 or drop$4 or eliminat$4 or omi$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:40
S15	1109	(clock near4 (generat$4 or produc$5))same ((swallow$4 or drop$4 or eliminat$4 or omi$4)near6 (puls$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:40
S16	523	(clock near4 (generat$4 or produc$5))with ((swallow$4 or drop$4 or eliminat$4 or omi$4)near6 (puls$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:03
S17	20	S15 same (selected near3 pulse$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:41
S18	7	S16 same (selected near3 pulse$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:42
S19	14884	(((swallow$4 or drop$5 or omi$6 or eliminat$4 or absorb$5)with ((select$3 or chosen or choos$4 or predefin$4 or predetermin$3)near33(puls$3 or bit$1 or cycle$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:57
S20	4211	(((swallow$4 or drop$5 or omi$6 or eliminat$4 or absorb$5)with ((select$3 or chosen or choos$4 or predefin$4 or predetermin$3)near3(puls$3 or bit$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:58

S21	4211	((select$3 or chosen or choos$4 or predefin$4 or predetermin$3)near3(puls$3 or bit$1))with (swallow$4 or drop$5 or omi$6 or eliminat$4 or absorb$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:00
S22	953	((select$3 or chosen or choos$4 or predefin$4 or predetermin$3)near3(puls$3 or bit$1))adj5 (swallow$4 or drop$5 or omi$6 or eliminat$4 or absorb$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:01
S23	646	((select$3 or chosen or choos$4 or predefin$4 or predetermin$3)adj3(puls$3 or bit$1))near3 (swallow$4 or drop$5 or omi$6 or eliminat$4 or absorb$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:02
S24	40	S23 same((frequency or clock) near4 (generat$4 or produc$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:05
S25	23685	"713"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:19
S26	4127	S25 and (clock near4 (generat$4 or produc$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:20
S27	4588	S25 and ((frequenc$4 or clock or (puls$2 near3 train)) near4 (generat$4 or produc$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:21
S28	24	S25 and (((((frequenc$4 or clock or (puls$2 near3 train)) near4 (generat$4 or produc$5))same ((select$5 or adapt$5 or predetermin$3 or predefin$4 or Chosen or choos$4)near3 (swallow$4 or drop$4 or eliminat$4 or omit$4))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:26

S29	3	("4315166" "4186637" "3997800").pn.	USPAT; USOCR; IBM_TDB	OR	ON	2005/03/01 11:20
S30	5	("6043692" "5825218" "4855622" "4284906" "4191942").pn.	USPAT; USOCR; IBM_TDB	OR	ON	2005/03/01 11:31
S31	2	("6043692").uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 11:27
S32	2	("6043692").uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 11:32
S33	3	("4315166").uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 11:37
S34	23623	"713"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 11:37
S35	1	S34 and ((clock near3 generat$4)same (select$4 near6 (delet$ or swallow$4 or omit$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 11:40
S36	15	S34 and ((clock near3 generat$4)with ((delet$ or swallow$4 or omit$4)near4 (puls$2 or cycle)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 11:41
S37	15	S34 and ((clock near3 generat$4)with ((delet$ or swallow$4 or omit$4 or dither$4)near4 (puls$2 or cycle)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:21

S38	186	((clock near3 generat$4)with ((delet$ or swallow$4 or omit$4 or dither$4)near4(puls$2 or cycle)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:24
S39	290	((clock near3 generat$4)with ((delet$ or swallow$4 or omit$4 or dither$4 or drop$4)near4(puls$2 or cycle)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:39
S40	50	S39 same((select$5 or adapt$4 or predetermined or predefined)near4 (puls$2 or cycle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:27
S41	1	S40 same(first near3 frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:28
S42	10	S40 and (second near3 frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:30
S43	261	((clock near3 generat$4)with ((delet$ or swallow$4 or omit$4 or dither$4 or drop$4)near4(puls$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:40
S44	5	((clock near3 generat$4)with ((delet$ or swallow$4 or omit$4 or dither$4 or drop$4)near4(selected near3 puls$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 14:56

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6023	((clock near3 generat$4)with (shift adj2 register$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 14:55
L2	5	l1 and (((delet$ or swallow$4 or omit$4 or dither$4 or drop$4)near6 (selected near3 puls$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 15:10
L3	290	l1 and ((chang$4 or alter$5 or switch$4 or replac$4)near4 ((contents or valu$2 or data or sequence)near4 (shift near2 register$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 15:14
L4	32	l1 and ((chang$4 or alter$5 or switch$4 or replac$4)near4 ((contents or valu$2 or data or sequence)near4 (shift near2 register$1))same (frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 15:24
L5	17	((chang$4 or alter$5 or switch$4 or replac$4)near4 ((contents or valu$2 or data or sequence)near4 (shift near2 register$1)) with ((reduc$5 or increas$4 or lower$4 or high$4)near2 frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 15:28
L6	1	l5 same (clock near4 generat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 15:31
L7	11	l5 and (clock near4 generat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 15:59
L8	22826	((clock or frequency)near3 generat$4)with (reference near2 (clock or frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:00

L9	0	I8 with ((swallow$4 or omit$4 or delet$4 or drop$4 or dither$4 or eliminat$4) near5 (select$4 near2 puls$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:02
L10	0	I8 same ((swallow$4 or omit$4 or delet$4 or drop$4 or dither$4 or eliminat$4) near5 (select$4 near2 puls$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:03
L11	8	I8 and ((swallow$4 or omit$4 or delet$4 or drop$4 or dither$4 or eliminat$4) near5 (select$4 near2 puls$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:09
L13	125	I8 same ((swallow$4 or omit$4 or delet$4 or drop$4 or dither$4 or eliminat$4) near5 (puls$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:03
L15	22	I13 and (shift adj2 registers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:19
L17	0	I13 and ((shift adj2 registers)with (sequence near2 values))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:19
S3	2	"6629256".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 11:18
S4	392	(clock near4 (generat$4 or produc$5))with ((swallow$4 or drop$5 or omi$6 or eliminat$4 or absorb$5)near3 (puls$3 or bit$1 or cycle$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:19